

## CDC CONTRAINDICATIONS & PRECAUTIONS

(for state-mandated vaccines)

1. Anaphylactic Shock
2. Encephalopathy
3. Hypersensitivity to yeast  
(Hepatitis B only)
4. Severe immunodeficiency  
(MMR and varicella only)

### Permanent precautions include:

1. Guillain-Barre Syndrome  
(tetanus vaccine only)
2. History of thrombocytopenia  
(MMR vaccine only)

### Temporary Precautions Include:

1. Arthus-type hypersensitivity  
(pertussis vaccine only)
2. Recent blood product transfusion  
(MMR and varicella only)
3. Unstable neurological disorder  
(pertussis vaccine only)
4. Aspirin therapy  
(varicella vaccine only)
5. Moderate/severe acute illness

 **THE MAJORITY OF CURRENT MEds WILL BE REVOKED UNDER SB 276**

**NOTE: CDC Contraindications and Precautions will only exempt a child from 1 vaccine.**

*The child will still have to continue all other vaccines in order to go to ANY public or private school in the state. Additionally, most children who suffer adverse events experience multiple reactions from the list on the right.*

## FDA-Recognized VACCINE REACTIONS

that qualify for medical exemptions under current law but would

**NOT QUALIFY under SB 276 / CDC GUIDELINES**

Encephalitis  
Seizures  
Fever over 105 degrees  
Stevens-Johnson syndrome  
Stroke  
Spinal cord paralysis  
Hypotonic, unresponsive episodes  
Severe nerve dysfunction  
Autoimmune arthritis  
Henoch-Schönlein purpura (a very severe immune reaction that involves the skin and kidneys)  
Spinal cord inflammation  
Vasculitis (blood vessel inflammation)  
Diabetes  
Systemic Lupus Erythematosus  
Severe nerve paralysis  
Moderate to severe allergic reactions  
Angioneurotic edema  
Limb paralysis  
Pulmonary Embolism  
Apnea  
Cyanosis  
Swollen lymph nodes  
Hypotonia  
Pneumonia  
Thrombocytopenia purpura  
Worsening of multiple sclerosis symptoms  
Rapid heart rate or palpitations  
Wheezing or asthma attacks  
Eczema  
Vasovagal syncope  
Vertigo  
Chronic tinnitus

Inflammation of the pancreas  
Facial nerve paralysis  
Acute disseminated encephalomyelitis (brain and spinal cord inflammation)  
Permanent arthritis  
Kawasaki disease  
Multiple nerve inflammation and dysfunction  
Onset of multiple sclerosis  
Bloody stools  
Inflammatory bowel disease  
Optic nerve inflammation  
Panniculitis  
Nerve deafness in the ear  
Severe eye inflammation that can permanently affect vision  
Abscess at the injection site  
Brachial neuritis  
Testicular pain and swelling  
Cellulitis  
Subacute sclerosing panencephalitis  
Ataxia (balance problems with difficulty walking)  
Pneumonitis (a severe inflammatory reaction in the lungs)  
Extensive swelling of the injected limb and nearby joints  
Bacterial skin and tissue infections  
Tremors  
Blood clots in the limbs  
Severe alopecia  
Thyroiditis

**\*All above adverse reactions are listed on the FDA Vaccine Package Inserts for Childhood Vaccines on the California State-Mandated Schedule.**

Source: <https://www.fda.gov/BiologicsBloodVaccines/Vaccines/ApprovedProducts/ucm093833.htm>